



Sample 3Chi Delta 9 Pina Colada Drink Enhancer

Sample ID:	BBL_2947	Matrix:	Beverage	Analyses Executed:	CAN HME MIB
Company:	3Chi	Batch ID:	08Aug2022-D9PC	Reported:	25 Aug, 2022
Phone:		Received:	12 Aug, 2022		
Address:	275 Medical Dr. 857 Carmel. IN 46082				
Email:	support@3chi.com				


Lab Notes: Results reported for sample as received

Cannabinoid Profile Analysis

Analyzed 17 Aug, 2022 | Instrument HPLC-PDA | Method TM-101
 Uncertainty Measurement at 95% confidence level is 10%, k=2

Analyte	LOD (ppm)	LOQ (ppm)	Result %	Result (mg/g)	mg/pack
Cannabidiol (CBD)	0.030	0.080	ND	ND	ND
Cannabidiol acid (CBDa)	0.050	0.150	ND	ND	ND
Cannabidiolic acid (CBDa)	0.040	0.110	ND	ND	ND
Cannabigerolic acid (CBGa)	0.040	0.120	ND	ND	ND
Cannabigerol (CBG)	0.080	0.230	ND	ND	ND
Cannabidiol (CBD)	0.060	0.190	ND	ND	ND
Tetrahydrocannabivarin (THCV)	0.080	0.240	ND	ND	ND
Tetrahydrocannabivarinic acid (THCVa)	0.050	0.160	ND	ND	ND
Cannabinol (CBN)	0.040	0.120	<LoQ	<LoQ	<LoQ
Cannabinolic acid (CBNa)	0.080	0.250	ND	ND	ND
D9-Tetrahydrocannabinol (D9-THC)	0.120	0.360	0.2003	2	8.51
D8-Tetrahydrocannabinol (D8-THC)	0.140	0.430	0.0485	0.48	2.06
Cannabicyclol (CBL)	0.210	0.640	ND	ND	ND
D9-Tetrahydrocannabinolic acid (THCa)	0.130	0.400	ND	ND	ND
Cannabichromene (CBC)	0.090	0.280	ND	ND	ND
Cannabichromenic acid (CBCa)	0.350	1.060	ND	ND	ND
Total THC (THCa * 0.877 + THC)			0.2	0.2	
Total CBD (CBDa * 0.877 + CBD)			ND	ND	
Total CBG (CBGa * 0.877 + CBG)			ND	ND	
Total Cannabinoids			0.25	2.49	10.57

Sample Photography



Sample weight: 4.2500 g

NR Not Reportable
 ND Not Detected
 N/A Not Applicable
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 25 Aug, 2022 03:46:59 PM



HME - Heavy Metals Detection Analysis

Analyzed 19 Aug, 2022 | Instrument ICP-MS | Method TM-105

Analyte	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Arsenic (As)	0.005	0.015	0		
Cadmium (Cd)	0.005	0.016	0		
Mercury (Hg)	0.004	0.013	0		
Lead (Pb)	0.075	0.224	0		

MIB - Microbial Testing Analysis

Analyzed 22 Aug, 2022 | Instrument PCR/ Plating (not A2LA accredited) | Method TM-109

Analyte	Limit (CFU/g)	Result CFU/g	Flag
Salmonella SPP		NEG	
Total Yeast & Mold		<10	
Aspergillus fumigatus		NEG	
Aspergillus flavus		NEG	
Aspergillus niger		NEG	
Aspergillus terreus		NEG	
Shiga toxin-producing Escherichia Coli		NEG	

NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Archana R. Parameswar,
 Laboratory Director
 25 Aug, 2022 03:46:59 PM