KCA Laboratories

232 North Plaza Drive Nicholasville, KY 40356 +1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

Uncle Skunks - Root Beer

Sample ID: SA-251002-69889

Batch: NA

Type: Finished Product - Ingestible

Matrix: Oil / Liquid - Beverage

Unit Mass (g):

Received: 10/02/2025 Completed: 10/06/2025 Client

Canna Elite

3588 Plymouth R, Unit #271

Ann Arbor, MI 48105

USA



Summary

Test Cannabinoids

Date Tested 10/06/2025

Status Tested

0.148 mg/mL

Total Δ9-THC

0.148 mg/mL

Δ9-THC

0.158 mg/mL

Total Cannabinoids

Not Tested

Moisture Content

Not Tested

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA

Analyte	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (%)	Result (mg/unit)
CBC	0.00095	0.00284	ND	ND	ND
CBCA	0.00181	0.00543	ND	ND	ND
CBCV	0.0006	0.0018	ND	ND	ND
CBD	0.00081	0.00242	<loq< td=""><td><loq< td=""><td><loq< td=""></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBDA	0.00043	0.0013	ND	ND	ND
CBDV	0.00061	0.00182	ND	ND	ND
CBDVA	0.00021	0.00063	ND	ND	ND
CBG	0.00057	0.00172	ND	ND	ND
CBGA	0.00049	0.00147	ND	ND	ND
CBL	0.00112	0.00335	ND	ND	ND
CBLA	0.00124	0.00371	ND	ND	ND
CBN	0.00056	0.00169	ND	ND	ND
CBNA	0.0006	0.00181	ND	ND	ND
CBT	0.0018	0.0054	ND	ND	ND
Δ4,8-iso-THC	0.0067	0.02	NT	NT	NT
Δ8-iso-THC	0.0067	0.02	NT	NT	NT
Δ8-ΤΗС	0.00104	0.00312	0.0096	0.000927	3.41
Δ8-ΤΗCV	0.0067	0.02	NT	NT	NT
Δ9-ΤΗС	0.00076	0.00227	0.1479	0.0143	52.5
Δ9-ΤΗCΑ	0.00084	0.00251	ND	ND	ND
Δ9-ΤΗCV	0.00069	0.00206	<loq< td=""><td><loq< td=""><td><loq< td=""></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Δ9-ΤΗCVA	0.00062	0.00186	ND	ND	ND
exo-THC	0.0067	0.02	NT	NT	NT
Total Δ9-THC			0.148	0.0143	52.5
Total			0.158	0.0152	55.9

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = (Spike) Not Recoverable; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone Commercial Director Date: 10/06/2025

Tested By: Kelsey Rogers Scientist Date: 10/06/2025





ISO/IEC 17025:2017 Accredited Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.